



# FES Brands North America

Commercial Kitchen Supply

## FES BRANDS



# Who are we



At FES Brands North America, we focus on providing private label services to dealers in the food service and hospitality industry. Our deep product knowledge and strong ties with many original equipment manufacturers enable us to achieve the business goal that strike outstanding balance between quality and cost of products. We offer a wide variety of products that adhere to the food service industry standard. Our all-inclusive private label services include product sourcing, manufacturing, and logistics handling. In addition, we collaborate with partners to develop new products, and provide opportunity to strengthen their brand value and achieve outmost profit margins.

Copyright© 2024 FES Brands North America®

All rights reserved.

[hello@fesbrands.us](mailto:hello@fesbrands.us) | [FESbrands.us](https://fesbrands.us) | 470-709-4628

Product images & specification subject to change without notice



# 2024 Price List





**FES BRANDS**

# **Faucets**

---

# Heavy Duty Pre-Rinse Faucet

## Description

This pre-rinse faucet with sprayer is perfect for rinsing excess food and sauce off your dishes prior to running them through your commercial dish machine. Intended for janitorial and dishwashing use, this faucet is ideal for dish rooms, schools, grocery stores, kitchens, and more.

## Features

- Approximately 45" overall height
- 3-Ply, 400 psi test hose
- Heavy duty brass construction and polished chrome finish
- Integrated spring check valves to prevent crossflow of hot & cold water
- 44" Standard hose



### Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

| Item #  | Description          | Inlet Type      | PCS/Case | lbs/Case |
|---------|----------------------|-----------------|----------|----------|
| FLO-988 | 8" Pre-Rinse Faucet  | 1/2" NPT Female | 4        | 46.1     |
| FLO-981 | 12" Pre-Rinse Faucet | 1/2" NPT Female | 4        | 49.2     |

### Optional Add-On:



### Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

| Item #  | Description           | PCS/Case | lbs/Case |
|---------|-----------------------|----------|----------|
| FLO-944 | Faucet with 12" Spout | 12       | 25.6     |
| FLO-945 | Faucet with 14" Spout | 12       | 26.0     |

◇ Add-on Faucet sets available (See next page)

# Heavy Duty Pre-Rinse Faucet Sets

## Description

This pre-rinse faucet with sprayer is perfect for rinsing excess food and sauce off your dishes prior to running them through your commercial dish machine. Intended for janitorial and dishwashing use, this faucet is ideal for dish rooms, schools, grocery stores, kitchens, and more.

## Features

- Approximately 45" overall height
- 3-Ply, 400 psi test hose
- Heavy duty brass construction and polished chrome finish
- Integrated spring check valves to prevent crossflow of hot & cold water
- 44" Standard hose
- Comes with additional spout



FLO-98812  
FLO-98814



FLO-98112  
FLO-98114

### Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



| Item #    | Description                         | Inlet Type      |
|-----------|-------------------------------------|-----------------|
| FLO-98812 | 8" Pre-Rinse Faucet with 12" Spout  | 1/2" NPT Female |
| FLO-98814 | 8" Pre-Rinse Faucet with 14" Spout  | 1/2" NPT Female |
| FLO-98112 | 12" Pre-Rinse Faucet with 12" Spout | 1/2" NPT Female |
| FLO-98114 | 12" Pre-Rinse Faucet with 14" Spout | 1/2" NPT Female |

# Wall Mount Faucet

## Features

### Commercial Duty Faucet

- Engineered for performance & durability
- Reinforced double O-ring valves with Hot & Cold mark on stem
- Heavy duty brass construction and polished chrome body
- Color coded Red & Blue handles
- Heavy duty double O-ring swivel spout

**Lead Free Faucets**  
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



FLO-700 series

| Item #  | Description                         | PCS/Case | lbs/Case |
|---------|-------------------------------------|----------|----------|
| FLO-706 | Wall Mount Faucet 8" with 6" Spout  | 12       | 36.8     |
| FLO-708 | Wall Mount Faucet 8" with 8" Spout  | 12       | 36.4     |
| FLO-710 | Wall Mount Faucet 8" with 10" Spout | 12       | 34.2     |
| FLO-712 | Wall Mount Faucet 8" with 12" Spout | 12       | 35.3     |
| FLO-714 | Wall Mount Faucet 8" with 14" Spout | 12       | 41.0     |
| FLO-716 | Wall Mount Faucet 8" with 16" Spout | 12       | 42.8     |

## Features

### Heavy Duty Faucet

- Engineered for high performance & durability
- Integrated spring check valves to prevent cross-flow of Hot & Cold water
- Heavy duty brass construction and polished chrome body
- Color coded Red & Blue handles
- Heavy duty double O-ring swivel spout

**Lead Free Faucets**  
All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



FLO-800 series

| Item #  | Description                         | PCS/Case | lbs/Case |
|---------|-------------------------------------|----------|----------|
| FLO-808 | Wall Mount Faucet 8" with 8" Spout  | 12       | 53.8     |
| FLO-810 | Wall Mount Faucet 8" with 10" Spout | 12       | 55.1     |
| FLO-812 | Wall Mount Faucet 8" with 12" Spout | 12       | 56.5     |
| FLO-814 | Wall Mount Faucet 8" with 14" Spout | 12       | 59.1     |
| FLO-816 | Wall Mount Faucet 8" with 16" Spout | 12       | 56.7     |

### Replacement Parts:

|  | Item #    | Description                            | PCS/Case | lbs/Case |
|--|-----------|--|----------|----------|
|  | FLO-700CF | Supply Inlet for FLO-7-Series          | 12       | 53.8     |
|  | FLO-890CF | Supply Inlet for FLO-8-Series          | 12       | 55.1     |
|  | FLO-700W  | Rubber Washer for FLO-7-Series         | 20       | 56.5     |
|  | FLO-890W  | Rubber Washer for FLO-8-Series         | 20       | 59.1     |
|  | FLO-4789D | Rear Pipe Nipple Washer & Lock Nut Set | 20       | 56.7     |
|  | FLO-4789W | Mounting Kit for FLO 7- & 8-Series     | 20       | 14.0     |

# 4" Wall / Deck Mount Faucet

## Features

### 4" Wall Mount Faucet for Hand Sink

- Engineered for high performance & durability
- Reinforced double O-ring valves with hot & cold marked on stem
- Compression nuts & washers attached
- Color coded red & blue handles
- Heavy duty double O-ring swivel spout
- 1/2" NPS male inlets
- Stem check unit replacement available



### Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



FLO-410

| Item #   | Description                                      | PCS/Case | lbs/Case |
|----------|--|----------|----------|
| FLO-410  | 4" Wall Mount Faucet with 3-1/2" Gooseneck Spout | 24       | 58.0     |
| FLO-4105 | 4" Wall Mount Faucet with 5" Gooseneck Spout     | 24       | 62.0     |

## Features

### 4" Deck Mount Faucet for Bar Sink

- Engineered for high performance & durability
- Reinforced double O-ring valves with hot & cold marked on stem
- Compression nuts & washers attached
- Color coded red & blue handles
- Heavy duty double O-ring swivel spout
- 1/2" NPS male inlets
- Stem check unit replacement available



### Lead Free Faucets







All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



FLO-420

| Item #   | Description                                      | PCS/Case | lbs/Case |
|----------|--|----------|----------|
| FLO-420  | 4" Deck Mount Faucet with 3-1/2" Gooseneck Spout | 24       | 58.0     |
| FLO-4205 | 4" Deck Mount Faucet with 5" Gooseneck Spout     | 24       | 62.0     |

### Replacement Parts:

|   | Item #  | Description                                | PCS/Case | lbs/Case |
|---|---------|--|----------|----------|
|  | FLO-122 | B-Handle, Cold, with Blue index            | 20       | 3.0      |
|  | FLO-123 | B-Handle, Hot, with Red index              | 20       | 3.0      |
|  | FLO-161 | Stem Assembly for 4-series, Cold           | 20       | 6.0      |
|  | FLO-162 | Stem Assembly for 4-series, Hot            | 20       | 6.0      |
|  | FLO-100 | Stem Check Unit with B-Handle for 7-Series | -        | -        |
|  | FLO-101 | Stem Check Unit with B-Handle for 7-Series | -        | -        |




# Wall / Deck Mount Faucets

## Features

### 4" Wall Mount Faucet for Hand Sink

- Engineered for high performance & durability
- Reinforced double O-ring valves with hot & cold marked on stem
- Compression nuts & washers attached
- Color coded red & blue handles
- Heavy duty double O-ring swivel spout
- 1/2" NPS male inlets
- Stem check unit replacement available




FLO-4106

| Item #   | Description                         | PCS/Case | lbs/Case |
|----------|-------------------------------------|----------|----------|
| FLO-4106 | 4" Wall Mount Faucet with 6" Spout  | 24       | 52.7     |
| FLO-4108 | 4" Wall Mount Faucet with 8" Spout  | 12       | 28.0     |
| FLO-4110 | 4" Wall Mount Faucet with 10" Spout | 12       | 28.0     |
| FLO-4112 | 4" Wall Mount Faucet with 12" Spout | 12       | 30.4     |

## Features

### 4" Deck Mount Faucet for Bar Sink

- Engineered for high performance & durability
- Reinforced double O-ring valves with hot & cold marked on stem
- Compression nuts & washers attached
- Color coded red & blue handles
- Heavy duty double O-ring swivel spout
- 1/2" NPS male inlets
- Stem check unit replacement available



FLO-4206

| Item #   | Description                         | PCS/Case | lbs/Case |
|----------|-------------------------------------|----------|----------|
| FLO-4206 | 4" Deck Mount Faucet with 6" Spout  | 24       | 45.4     |
| FLO-4208 | 4" Deck Mount Faucet with 8" Spout  | 12       | 28.0     |
| FLO-4210 | 4" Deck Mount Faucet with 10" Spout | 12       | 28.0     |
| FLO-4212 | 4" Deck Mount Faucet with 12" Spout | 12       | 30.4     |

# Handle Waste Valve with Strainer

## Features

Lever Handle Waste Valve



FLO-302



**Lead Free Faucets**

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

| Item #  | Description   | PCS/Case | lbs/Case |
|---------|---|----------|----------|
| FLO-302 | Lever Handle Waste Valve 3-1/2" Sink Opening, 2" Drain Outlet | 12       | 46.3     |

## Features

Twist Handle Waste Valve



FLO-303





**Lead Free Faucets**

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.

| Item #  | Description   | PCS/Case | lbs/Case |
|---------|---|----------|----------|
| FLO-303 | Twist Handle Waste Valve 3-1/2" Sink Opening, 2" Drain Outlet | 12       | 44.1     |

## Replacement Parts:


|   | Item #    | Description                                | PCS/Case | lbs/Case |
|---|-----------|--|----------|----------|
|  | FLO-300PT | 3-1/2" Rubber Seal Washer for FLO 3-series | 20       | 1.0      |
|  | FLO-305PT | Flat strainer for twist handle waste       | 20       | 2.0      |

# Operation Valve

## Features

### Foot Pedal Operation Valve

- Engineered for high performance & durability
- Rough chrome plated body
- Self closing valves
- Red & blue indexed brass pedals with polished chrome finish
- 1/2" NPT female inlets & 1/2" NPT female outlet
- Replacement for self-closing valve available



FLO-202

#### Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



| Item #  | Description                                      | PCS/Case | lbs/Case |
|---------|--|----------|----------|
| FLO-202 | Foot Pedal Operation Valve with Red & Blue index | 12       | 35.8     |

## Features

### Knee Action Operation Valve

- Engineered for high performance & durability
- Rough chrome plated body
- Self closing valves
- Red & blue indexed brass pedals with polished chrome finish
- 1/2" NPT female inlets & 1/2" NPT female outlet
- Replacement for self-closing valve available



FLO-203


#### Lead Free Faucets

All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



| Item #  | Description                             | PCS/Case | lbs/Case |
|---------|---|----------|----------|
| FLO-203 | Knee Action Valve with Red & Blue index | 12       | 47.2     |

### Replacement Parts:

| Item #  | Description  | PCS/Case | lbs/Case |
|---|--|----------|----------|
|  FLO-907 | Spray Valve Assembly, Lead free, for Knee and Foot Operated Valves | 20       | 6.0      |

# Wok Range Faucet

## Features

Automatic Wok Range Faucet with 14" Spout

- 3/8" or 1/2" NPT male inlet
- 14" Spout
- Automatic turns on when spout is swung over wok
- Lead free




FLO-510



FLO-517

| Item #  | Description                           | PCS/Case | lbs/Case |
|---------|---------------------------------------|----------|----------|
| FLO-510 | Automatic Wok Range Faucet 3/8" Inlet | 24       | 44.0     |
| FLO-517 | Automatic Wok Range Faucet 1/2" Inlet | 24       | 44.0     |


Replacement Parts:

|  | Item #     | Description                           | PCS/Case | lbs/Case |
|--|------------|---------------------------------------|----------|----------|
|  | FLO-5100PT | Replacement Kit for FLO-510 & FLO-517 | 10       | 2.0      |

## Features

Chinese Wok Range Faucet with 14" Spout



- Single wall mount
- 14" Spout
- 2.0 GPM aerator 1/2" NPS male inlet
- Full replacement parts available
- Lead free



FLO-513

| Item #  | Description                     | PCS/Case | lbs/Case |
|---------|---------------------------------|----------|----------|
| FLO-513 | Chinese Range Faucet 1/2" Inlet | 24       | 54.0     |

Replacement Parts:

|   | Item #  | Description   | PCS/Case | lbs/Case |
|---|---------|---|----------|----------|
|  | FLO-122 | B-Handle, Cold, with Blue index                       | 20       | 1.0      |
|  | FLO-104 | Stem Check Unit with B-handle, for Chinese Wok Faucet | 20       | 2.0      |

# Service Sink Faucet

## Features

Service Sink Faucet with Support Bracket

- 8" center heavy duty quality
- Integrated spring check valves
- Built-in vacuum breaker
- 6-1/2" Spout with 3/4" hose thread
- Wall bracket with 12" rod
- 1/2" NPT female inlets
- Full replacement parts available

### Lead Free Faucets






All faucets conform to AB 1953 and 2014 Federal Lead Free Standards.



FLO-840

| Item #  | Description                              |
|---------|--|
| FLO-840 | Service Sink Faucet with Support Bracket |

### Replacement Parts:

|   | Item #    | Description   | PCS/Case | lbs/Case |
|---|-----------|---|----------|----------|
|  | FLO-102   | Stem Check Unit, with B-handle and blue index for heavy duty 8 & 9-Series | 20       | 11.0     |
|  | FLO-103   | Stem Check Unit, with B-handle and blue index for heavy duty 8 & 9-Series | 20       | 11.0     |
|  | FLO-122   | B-Handle, Cold with Blue index  | 20       | 3.0      |
|  | FLO-123   | B-Handle, Hot with Red index  | 20       | 3.0      |
|  | FLO-841PT | Vacuum Breaker Repair Kit   | N/A      | N/A      |



# FES BRANDS

We've specialized in fulfilling foodservice product requirements  
for over 30 years

---



**FES BRANDS**

# **FES Brands North America**

2024 Catalog

Address:  
1750 Stone Ridge Dr. Suite B  
Stone Mountain, GA 30083

FESbrands.us  
Email: [Sales@fesbrands.us](mailto:Sales@fesbrands.us)  
TEL: 470-709-4628